

# Pro

# LEBANON Scape®

## HOMOGENEOUS FERTILIZER WITH TUPERSAN® PRO

# 12-24-11



### GUARANTEED ANALYSIS

|  |      |
|--|------|
| Total Nitrogen (N) .....   | 12%  |
| 8.6% Ammoniacal Nitrogen   |      |
| 3.4% Urea Nitrogen   |      |
| Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....   | 24%  |
| Soluble Potash (K <sub>2</sub> O) .....  | 11%  |
| Sulfur (S) .....   | 3.8% |
| 3.8% Combined Sulfur (S)   |      |
| Iron (Fe) .....  | 0.5% |
| 0.05% Water Soluble Iron (Fe)  |      |
| Derived from: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferrous Oxide, Ferrous Sulfate. |      |
| Chlorine (Cl) not more than .....  | 9.0% |
|  | F699 |

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

**21-41627**



NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

### SUGGESTED SPREADER SETTINGS

| Spreader                   | Settings        |                     | Spreader                    | Settings        |                     |
|----------------------------|-----------------|---------------------|-----------------------------|-----------------|---------------------|
|                            | 5#/1000 Sq. Ft. | 2 1/2#/1000 Sq. Ft. |                             | 5#/1000 Sq. Ft. | 2 1/2#/1000 Sq. Ft. |
| LebanonTurf                | 4 3/4           | 4                   | Lesco (letter/numeric dial) | J/17            | G/15                |
| Andersons AccuPro          | M               | H                   | PennMulch HVO               | L               | J                   |
| Earthway Rotary            | 16              | 14                  | ProScape SS                 | L               | J                   |
| Gandy                      | 28              | 24                  | Spyker                      | 4 3/4           | 4                   |
| Lely (HR,W,1250,1500,2010) | 6II             | 4 1/2II             | Vicon (all models)          | 26              | 22                  |

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 4 oz. at 2 1/2 lb. setting, 8 oz. at 5 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

**DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS**  
(See List on Back)

### ACTIVE INGREDIENT:

Siduron\* ..... 3.71%

OTHER INGREDIENTS: ..... 96.29%

**TOTAL** ..... 100.00%

\*CAS. No. 1982-49-6

EPA Reg. No. 961-319

\*Also known as Tupersan®.

Tupersan is a registered trademark of the Gowan Company.

ProScape is a registered trademark of Lebanon Seaboard Corporation.

(L) (D)  
EPA Est. No. 961-PA-01:961-IL-01  
Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

NET WEIGHT **25** LBS. (11.34 KG)

# HOMOGENEOUS FERTILIZER

## WITH TUPERSAN<sup>®</sup> PRO


# 12-24-11



### GUARANTEED ANALYSIS

|  |             |
|--|-------------|
| <b>Total Nitrogen (N)</b> .....  | <b>12%</b>  |
| 8.6% Ammoniacal Nitrogen   |             |
| 3.4% Urea Nitrogen   |             |
| <b>Available Phosphate (P<sub>2</sub>O<sub>5</sub>)</b> .....  | <b>24%</b>  |
| <b>Soluble Potash (K<sub>2</sub>O)</b> .....   | <b>11%</b>  |
| <b>Sulfur (S)</b> .....  | <b>3.8%</b> |
| 3.8% Combined Sulfur (S)   |             |
| <b>Iron (Fe)</b> .....   | <b>0.5%</b> |
| 0.05% Water Soluble Iron (Fe)  |             |
| Derived from: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferrous Oxide, Ferrous Sulfate. |             |
| <b>Chlorine (Cl)</b> not more than .....   | <b>9.0%</b> |
|  | <b>F699</b> |

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.



**21-41627**

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

### SUGGESTED SPREADER SETTINGS

| Spreader                   | Settings        |                     | Spreader                    | Settings        |                     |
|----------------------------|-----------------|---------------------|-----------------------------|-----------------|---------------------|
|                            | 5#/1000 Sq. Ft. | 2 1/2#/1000 Sq. Ft. |                             | 5#/1000 Sq. Ft. | 2 1/2#/1000 Sq. Ft. |
| LebanonTurf                | 4%              | 4                   | Lesco (letter/numeric dial) | J/17            | G/15                |
| Andersons AccuPro          | M               | H                   | PennMulch HVO               | L               | J                   |
| Earthway Rotary            | 16              | 14                  | ProScape SS                 | L               | J                   |
| Gandy                      | 28              | 24                  | Spyker                      | 4 3/4           | 4                   |
| Lely (HR,W,1250,1500,2010) | 6II             | 4 1/2II             | Vicon (all models)          | 26              | 22                  |

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 4 oz. at 2 1/2 lb. setting, 8 oz. at 5 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

**DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS**

(See List on Back)

**ACTIVE INGREDIENT:**

Siduron\* ..... 3.71%

**OTHER INGREDIENTS:** ..... 96.29%

**TOTAL** ..... 100.00%

\*CAS. No. 1982-49-6

EPA Reg. No. 961-319

\*Also known as Tupersan®.

Tupersan is a registered trademark of the Gowan Company.

ProScape is a registered trademark of Lebanon Seaboard Corporation.

(L) (D)  
EPA Est. No. 961-PA-01:961-IL-01  
Superscript used is first letter of lot number.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See back panel for First Aid and additional Precautionary Statements.

**READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.  
USE ONLY ACCORDING TO LABEL INSTRUCTIONS.**

**Before buying this product, read the Warranty Section elsewhere on this label.  
If terms are not acceptable, return the unopened container to the place of purchase at once.**

**NET WEIGHT 25 LBS. (11.34 KG)**

# PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### FIRST AID

**IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN**

- Take off contaminated clothing.

**OR CLOTHING:**

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF INHALED:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**

Do not apply this product in a way that will contact any person, pet, either directly through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

Non-target plants can be adversely affected by this product.

Fertilizes grass and controls crabgrass before it emerges as an unsightly lawn weed. Can be used on newly-seeded areas. It will not harm germination of grass seed.

**For use on newly-seeded or established plantings of the following grasses:**

Bluegrass  
Fescue  
Redtop  
Smooth Brome  
Perennial Ryegrass  
Orchardgrass  
Zoysiagrass

**Bentgrass Strains as follows:**

Penncross  
Seaside  
Highland  
Astoria  
Nimisila  
C-1, C-7 and C-19

**DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS**

## APPLICATION INSTRUCTIONS

1. Rake the lawn to remove leaves and other debris.
2. **On Established Lawns:** Apply at the rate of 5 lbs. per 1,000 sq. ft. (25 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
3. **On Newly-Seeded Areas:** Apply at the rate of 2<sup>1</sup>/<sub>2</sub> lbs. per 1,000 sq. ft. (25 lb. bag covers 10,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
4. Apply with a fertilizer spreader (see settings elsewhere on this label) to insure even coverage.
5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

## STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal.**

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

## **WARRANTY**

### **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

**Made in the U.S.A.**

[www.LebanonTurf.com](http://www.LebanonTurf.com)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>